

10/065,203

REMARKS

In the Office Action claim 7 was rejected. Claim 7 has been amended. Upon entrance of this Response, claim 7 will be pending in the present application. Reconsideration is respectfully requested.

The Examiner objected to the specification as failing to provide proper antecedent basis for the claimed subject matter, specifically the 0.005 to 0.020 inch range set forth in claim 7. Applicants have amended claim 7 to correct a typographical error. The proper range that the ledge extends inward is 0.05 inch to 0.25 inch, as provided in paragraph 50 of the specification.

The Examiner also rejected claim 7 under 35 U.S.C. § 112, first paragraph, for failing to comply with the written description requirement. In particular, the Examiner notes that the moment of inertia of "at least 1900 grams-centimeter squared" is new matter. Applicants have amended claim 7 to recite a moment of inertia range of 2800 grams-centimeter squared to 5000 grams-centimeter squared. Support for this range is provided in paragraph 60 of the specification.

In view of the foregoing, Applicants respectfully submit that the outstanding objection and rejection have been overcome and that claim 7 is in condition for allowance. The Examiner is invited to telephone Applicants' Attorney, if such would advance the prosecution of this case.

Respectfully submitted,

21 September 2005



Elaine H. Lo
Registration Number 41,158
Attorney for Applicants
Callaway Golf Company
2180 Rutherford Road
Carlsbad, California 92008-7328
Telephone: 760-930-8414
Facsimile: 760-930-5019
E-mail: ElaineL@callawaygolf.com